








FERRULES

CATALOGUE




SERIES 4

WESTWOOD COURT, CALMORE INDUSTRIAL ESTATE, TOTTON, HAMPSHIRE, SO40 3WX
Tel: 02380 866377 Fax: 02380 866323 email: sales@series4.co.uk web: www.series4.co.uk

	PAGE	
FERRULES DIN 46228 PART 1	3	
INSULATED FERRULES DIN 46228 PART 4	4	
TWIN-END FERRULES FOR TWO WIRES	6	
SPECIALS (TRI-RATED & SHORT CIRCUIT PROTECTION)	7	
TAPE-MOUNTED FERRULES DIN 46228 PART 4	8	
ASSORTMENT BOXES	10	




MATERIAL: COPPER
SURFACE: TIN PLATED



FERRULES DIN 46228 PART 1								
SIZE - LENGTH mm ² - mm	AWG	PRT-NO.	Pcs./BAG	DIMENSIONS mm				
				l	d1	d2	S	
0,25 - 5 - 7	24	B 00205	1000	5*	0,8	1,7	0,15	
		B 00207		7*	0,8	1,7	0,15	
0,34 - 5 - 7	22	B 00305	1000	5*	0,9	1,8	0,15	
		B 00307		7*	0,9	1,8	0,15	
0,5 - 6 - 8 - 10	20	B 00506	1000	6	1	2,1	0,15	
		B 00508		8*	1	2,1	0,15	
		B 00510		10	1	2,1	0,15	
0,75 - 6 - 8 - 10 - 12	20	B 00706	1000	6	1,2	2,3	0,15	
		B 00708		8*	1,2	2,3	0,15	
		B 00710		10	1,2	2,3	0,15	
		B 00712		12*	1,2	2,3	0,15	
1 - 6 - 8 - 10 - 12	18	B 01006	1000	6	1,4	2,5	0,15	
		B 01008		8*	1,4	2,5	0,15	
		B 01010		10	1,4	2,5	0,15	
		B 01012		12*	1,4	2,5	0,15	
1,5 - 7 - 10 - 12 - 15 - 18 - 20	16	B 01507	1000	7	1,7	2,8	0,15	
		B 01510		10	1,7	2,8	0,15	
		B 01512		12	1,7	2,8	0,15	
		B 01515		15*	1,7	2,8	0,15	
		B 01518		18	1,7	2,8	0,15	
		B 01520		20*	1,7	2,8	0,15	
2,5 - 7 - 10 - 12 - 15 - 18 - 20	14	B 02507	1000	7	2,2	3,4	0,15	
		B 02510		10	2,2	3,4	0,15	
		B 02512		12	2,2	3,4	0,15	
		B 02515		15*	2,2	3,4	0,15	
		B 02518		18	2,2	3,4	0,15	
		B 02520		20*	2,2	3,4	0,15	
4 - 9 - 12 - 15 - 18 - 20	12	B 04009	1000	9	2,8	4	0,2	
		B 04012		12	2,8	4	0,2	
		B 04015		15	2,8	4	0,2	
		B 04018		18	2,8	4	0,2	
		B 04020		20*	2,8	4	0,2	
6 - 10 - 12 - 15 - 18 - 20	10	B 06010	1000	10	3,5	4,7	0,2	
		B 06012		12	3,5	4,7	0,2	
		B 06015		15	3,5	4,7	0,2	
		B 06018		18	3,5	4,7	0,2	
		B 06020		20*	3,5	4,7	0,2	
10 - 12 - 15 - 18 - 20 - 25	8	B 10012	500	12	4,5	5,8	0,2	
		B 10015		15	4,5	5,8	0,2	
		B 10018		18	4,5	5,8	0,2	
		B 10020		20*	4,5	5,8	0,2	
		B 10025		25*	4,5	5,8	0,2	


FERRULES DIN 46228 PART 1								
SIZE - LENGTH mm ² - mm	AWG	PRT-NO.	Pcs./BAG	DIMENSIONS mm				
				l	d1	d2	S	
16 - 12 - 15 - 18 - 20 - 25 - 32	6	B 16012	250	12	5,8	7,5	0,2	
		B 16015		15	5,8	7,5	0,2	
		B 16018		18	5,8	7,5	0,2	
		B 16020		20*	5,8	7,5	0,2	
		B 16025		25	5,8	7,5	0,2	
		B 16032		32	5,8	7,5	0,2	
25 - 12 - 15 - 18 - 25 - 32	4	B 25012	100	12*	7,3	9,5	0,2	
		B 25015		15	7,3	9,5	0,2	
		B 25018		18	7,3	9,5	0,2	
		B 25025		25	7,3	9,5	0,2	
		B 25032		32	7,3	9,5	0,2	
35 - 18 - 20 - 25 - 32	2	B 35018	100	18	8,3	11	0,2	
		B 35020		20*	8,3	11	0,2	
		B 35025		25	8,3	11	0,2	
		B 35032		32	8,3	11	0,2	
50 - 18 - 22 - 25 - 32	1	B 50018	100	18	10,3	13	0,3	
		B 50022		22*	10,3	13	0,3	
		B 50025		25	10,3	13	0,3	
		B 50032		32	10,3	13	0,3	
70 - 25 - 32	2/0	B 70025	100	25*	12,5	15	0,4	
		B 70032		32*	12,5	15	0,4	
95 - 25 - 30 - 32	3/0	B 95025	50	25*	14,5	17	0,4	
		B 95030		30*	14,5	17	0,4	
		B 95032		32*	14,5	17	0,4	
120 - 32 - 40	4/0	B 120032	50	32*	16,5	19	0,5	
		B 120040		40*	16,5	19	0,5	
150 - 32 - 38	300 MCM	B 150032	50	32*	18,5	21	0,5	
		B 150038		38*	18,5	21	0,5	
185 - 32 - 40	350 MCM	B 185032	25	32*	20	23,5	0,6	
		B 185040		40*	20	23,5	0,6	

DOES NOT CONFORM TO DIN 46228 PART 1



MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED

INSULATED FERRULES															
SIZE - LENGTH mm ² - mm AWG		COLOUR PRT-No. DIN		COLOUR PRT-No. T (FR)		COLOUR PRT-No. W (GDR)		Pcs./ BAG	Pcs./ STRIP	DIMENSIONS mm					
										l1	l2	d1	s1	d2	s2
0,14 - 6 N - 8 L	26	A00155	GY	A00152	BN	A00157	GY	500	10x100	10,5	6*	0,8	0,25	2,0	0,25
		A00185		A00182		A00187				12,5	8*	0,8	0,25	2,0	0,25
0,25 - 6 N - 8 L	24	A00255	YE	A00252	VT	A00257	BU	500	10x100	10,5	6*	0,8	0,25	2,0	0,25
		A00285		A00282		A00287				12,5	8*	0,8	0,25	2,0	0,25
0,34 - 6 N - 8 L	24	A00355	TQ	A00352	PK	A00357	TQ	500	10x100	10,5	6*	0,8	0,25	2,0	0,25
		A00385		A00382		A00387				12,5	8*	0,8	0,25	2,0	0,25
0,5 - 6 K - 8 N - 10 M	20	A00535	WH	A00532	WH	A00537	OG	500	10x100	11,5	6	1,1	0,15	2,5	0,25
		A00555		A00552		A00557				13,5	8	1,1	0,15	2,5	0,25
		A00575		A00572		A00577				15,5	10	1,1	0,15	2,5	0,25
0,75 - 6 K - 8 N - 10 M - 12 L	20	A00735	GY	A00732	BU	A00737	WH	500	10x100	12,0	6	1,3	0,15	2,8	0,25
		A00755		A00752		A00757				14,0	8	1,3	0,15	2,8	0,25
		A00775		A00772		A00777				16,0	10	1,3	0,15	2,8	0,25
		A00785		A00782		A00787				18,0	12	1,3	0,15	2,8	0,25
1 - 6 K - 8 N - 10 M - 12 L	18	A01035	RD	A01032	RD	A01037	YE	500	10x100	12,5	6	1,5	0,15	3,0	0,3
		A01055		A01052		A01057				14,5	8	1,5	0,15	3,0	0,3
		A01075		A01072		A01077				16,5	10	1,5	0,15	3,0	0,3
		A01085		A01082		A01087				18,5	12	1,5	0,15	3,0	0,3
1,5 - 6 K - 8 N - 10 M - 12 S - 18 L	16	A01535	BK	A01532	BK	A01537	RD	500	10x100	12,5	6*	1,8	0,15	3,4	0,3
		A01555		A01552		A01557				14,5	8	1,8	0,15	3,4	0,3
		A01575		A01572		A01577				16,5	10	1,8	0,15	3,4	0,3
		A01565		A01562		A01567				18,5	12	1,8	0,15	3,4	0,3
		A01585		A01582		A01587				24,5	18	1,8	0,15	3,4	0,3
2,08 - 8 N	14	A02055	YE	A02052	YE	A02057	YE	500	10x100	14,5	8*	2,05	0,15	3,6	0,3
2,5 - 8 N - 12 M - 18 L	14	A02555	BU	A02552	GY	A02557	BU	500	10x100	15,0	8	2,3	0,15	4,2	0,3
		A02575		A02572		A02577				19,0	12	2,3	0,15	4,2	0,3
		A02585		A02582		A02587				25,0	18	2,3	0,15	4,2	0,3
4 - 10 N - 12 M - 18 L	12	A04055	GY	A04052	OG	A04057	GY	500	10x100	17,5	10	2,9	0,2	4,8	0,3
		A04075		A04072		A04077		100		20,0	12	2,9	0,2	4,8	0,3
		A04085		A04082		A04087		100		26,0	18	2,9	0,2	4,8	0,3
6 - 12 N - 18 L	10	A06055	YE	A06052	GN	A06057	BK	100	10x100	20,0	12	3,6	0,2	6,2	0,3
		A06085		A06082		A06087				26,0	18	3,6	0,2	6,2	0,3
10 - 12 N - 18 L	8	A10055	RD	A10052	BN	A10057	IV	100	10x100	21,0	12	4,6	0,2	7,5	0,3
		A10085		A10082		A10087				27,0	18	4,6	0,2	7,5	0,3
16 - 12 N - 18 L	6	A16055	BU	A16052	WH	A16057	GN	100	5x100	23,0	12	6,0	0,2	8,8	0,4
		A16085		A16082		A16087				29,0	18	6,0	0,2	8,8	0,4



MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED

INSULATED FERRULES																
SIZE - LENGTH mm ² - mm AWG			COLOUR PRT-No. DIN		COLOUR PRT-No. T (FR)		COLOUR PRT-No. W (GDR)		Pcs./ BAG	Pcs./ STRIP	DIMENSIONS mm					
											l1	l2	d1	s1	d2	s2
25 - 16 N - 18 M - 22 L	4	A25055	YE	A25052	BK	A25057	BN	50	5x50	29,0	16	7,5	0,2	11,0	0,5	
		A25075		A25072		A25077				31,0	18	7,5	0,2	11,0	0,5	
		A25085		A25082		A25087				35,0	22	7,5	0,2	11,0	0,5	
35 - 16 N - 18 M - 25 L	2	A35055	RD	A35052	RD	A35057	BE	50	5 x 50	30,0	16	8,5	0,2	12,5	0,5	
		A35075		A35072		A35077				32,0	18	8,5	0,2	12,5	0,5	
		A35085		A35082		A35087				39,0	25	8,5	0,2	12,5	0,5	
50 - 20 N - 25 L	1	A50055	BU	A50052	BU	A50057	OL	50	2x50	36,0	20	10,5	0,3	15,0	0,6	
		A50085		A50082		A50087				25	-	41,0	25	10,5	0,3	15,0
70 - 20 N - 27 L	2/0	A70055	YE	A70052	YE	A70057	YE	25	-	37,0	20*	12,7	0,4	16,0	0,6	
		A70085		A70082		A70087				44,0	27*	12,7	0,4	16,0	0,6	
95 - 25 N	3/0	A95055	RD	A95052	RD	A95057	RD	25	-	44,0	25*	14,7	0,4	18,0	0,6	
120 - 27 N	4/0	A120055	BU	A120052	BU	A120057	BU	25	-	48,0	27*	16,7	0,5	21,0	0,7	
150 - 32 N	300 MCM	A150055	YE	A150052	YE	A150057	YE	25	-	58,0	32*	19,5	0,5	23,0	1,0	


SHORT = K



STANDARD = N

MEDIUM = M

LONG = L

DOES NOT CONFORM TO DIN 46228 PART 4






MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED


TWINFERRULES FOR TWO WIRES *															
SIZE - LENGTH mm ² - mm	AWG	PRT-No.	COLOUR DIN	PRT-No.	COLOUR T (FR)	PRT-No.	COLOUR W (GDR)	Pcs./ BAG	Pcs./ STRIP	DIMENSIONS mm					
										l1	l2	d1	s1	d2/d3	s2
2 x 0,5 - 8	2 x 20	A00555TWIN	WH	A00552TWIN	WH	A00557TWIN	OG	500	10 x 100	15,0	8	1,5	0,15	2,3/4,5	0,25
2 x 0,75 - 8 - 10 - 12	2 x 20	A00755TWIN	GY	A00752TWIN	BU	A00757TWIN	WH	500	10 x 100	15,0	8	1,8	0,15	2,6/5,1	0,25
	2 x 20	A00775TWIN		A00772TWIN		A00777TWIN				17,0	10	1,8	0,15	2,6/5,1	0,25
	2 x 20	A00785TWIN		A00782TWIN		A00787TWIN				19,0	12	1,8	0,15	2,6/5,1	0,25
2 x 1 - 8 - 10 - 12	2 x 18	A01055TWIN	RD	A01052TWIN	RD	A01057TWIN	YE	500	10 x 100	15,0	8	2,05	0,15	3,0/5,1	0,30
	2 x 18	A01075TWIN		A01072TWIN		A01077TWIN				17,0	10	2,05	0,15	3,0/5,1	0,30
	2 x 18	A01085TWIN		A01082TWIN		A01087TWIN				19,0	12	2,05	0,15	3,0/5,1	0,30
2 x 1,5 - 8 - 12	2 x 16	A01555TWIN	BK	A01552TWIN	BK	A01557TWIN	RD	500	10 x 100	16,0	8	2,3	0,15	3,5/6,4	0,30
	2 x 16	A01575TWIN		A01572TWIN		A01577TWIN				20,0	12	2,3	0,15	3,5/6,4	0,30
2 x 2,5 - 10 - 13	2 x 14	A02555TWIN	BU	A02552TWIN	GY	A02557TWIN	BU	250	10 x 100	18,5	10	2,9	0,20	4,0/7,5	0,30
	2 x 14	A02575TWIN		A02572TWIN		A02577TWIN				21,5	13	2,9	0,20	4,0/7,5	0,30
2 x 4 - 12	2 x 12	A04055TWIN	GY	A04052TWIN	OG	A04057TWIN	GY	100	5 x 100	23,0	12	3,8	0,20	4,9/8,6	0,30
2 x 6 - 14	2 x 10	A06055TWIN	YE	A06052TWIN	GN	A06057TWIN	BK	100	5 x 100	25,0	14	4,6	0,20	5,8/9,6	0,40
2 x 10 - 14	2 x 8	A10055TWIN	RD	A10052TWIN	BN	A10057TWIN	IV	100	5 x 100	26,0	14	6,5	0,20	7,0/12,6	0,40
2 x 16 - 16	2 x 6	A16055TWIN	BU	A16052TWIN	WH	A16057TWIN	GN	50	2 x 50	31,0	16	8,5	0,20	8,8/16,6	0,50

* EU-Patent / US-Patent



MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED

FOR WIRES WITH THICK INSULATION (TRI-RATED CABLES)																
SIZE - LENGTH mm ² - mm AWG			PRT-No. COLOUR DIN		PRT-No. COLOUR T (FR)		PRT-No. COLOUR W (GDR)		Pcs./ BAG	Pcs./ STRIP	DIMENSIONS mm					
											l1	l2	d1	s1	d2	s2
0,5	- 8	20	A00555GB	WH	A00552GB	WH	A00557GB	OG	500	10 x 100	13,5	8	1,1	0,15	3,0	0,25
0,75	- 8	20	A00755GB	GY	A00752GB	BU	A00757GB	WH	500	10 x 100	14,0	8	1,3	0,15	3,4	0,3
1	- 8	18	A01055GB	RD	A01052GB	RD	A01057GB	YE	500	10 x 100	14,0	8	1,5	0,15	3,4	0,3
1,5	- 8	16	A01555GB	BK	A01552GB	BK	A01557GB	RD	500	10 x 100	14,0	8	1,8	0,15	3,8	0,3
16	- 12	6	A16055GB	BU	A16052GB	WH	A16057GB	GN	100	10 x 100	23,0	12	6,0	0,2	9,5	0,4




MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED

FERRULES FOR SHORT-CIRCUIT PROTECTION OF LEADS												
SIZE - LENGTH mm ² - mm AWG			PRT-No	COLOUR	Pcs./BAG	DIMENSIONS mm						
						l1	l2	d1	s1	d2	s2	
1,5	- 8	16	A01555XL	BK	100	17,5	8	1,80	0,15	6,90	0,30	
	- 10		A01575XL			19,5	10	1,80	0,15	6,90	0,30	
2,5	- 8	14	A02555XL	BU	100	17,5	8	2,30	0,15	7,80	0,30	
	- 12		A02575XL			21,5	12	2,30	0,15	7,80	0,30	
4	- 10	12	A04055XL	GY	100	19,5	10	2,90	0,20	7,80	0,30	
6	- 12	10	A06055XL	YE	100	23	12	3,60	0,20	8,30	0,30	
10	- 12	8	A10055XL	RD	100	24	12	4,60	0,20	9,80	0,30	
16	- 12	6	A16055XL	BU	100	25,5	12	6,00	0,20	12,00	0,30	



WIRE END SLEEVES ARE SPECIALLY DESIGNED WITH LARGE PLASTIC COLLARS FOR SHORT-CIRCUIT AND EARTHING PROTECTION OF LEADS WITH EXTRA THICK INSULATION (NSGAFÖU).
APPLICATIONS: UNSECURED CONNECTION IN SWITCHING AND DISTRIBUTION SYSTEMS, RAIL VEHICLES, SOLAR SYSTEMS, IGNITION CABLES ETC.


MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED





STRIPS														
SIZE - LENGTH mm ² - mm AWG			PRT-No. COLOUR DIN		PRT-No. COLOUR T (FR)		PRT-No. COLOUR W (GDR)		Pcs	DIMENSIONS mm				
1	2	3	4	5	6	7	8	9	10	11	12	13		
0,5	- 8	20	A00555S	WH	A00552S	WH	A00557S	OG	10 x 50	14,5	8	1,1	2,6	3,5
0,75	- 8	20	A00755S	GY	A00752S	BU	A00757S	WH	10 x 50	14,5	8	1,3	2,8	3,6
1	- 8	18	A01055S	RD	A01052S	RD	A01057S	YE	10 x 50	14,5	8	1,5	3,0	3,9
1,5	- 8	16	A01555S	BK	A01552S	BK	A01557S	RD	10 x 50	14,5	8	1,8	3,4	4,2
2,5	- 8	14	A02555S	BU	A02552S	GY	A02557S	BU	10 x 50	14,5	8	2,3	4,2	5,0


MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED







DISPENSER FOR MC25 MACHINE  150 x 150 x 18 mm														
SIZE - LENGTH mm ² - mm AWG			PRT-No. COLOUR DIN		PRT-No. COLOUR T (FR)		PRT-No. COLOUR W (GDR)		Pcs.	DIMENSIONS mm				
1	2	3	4	5	6	7	8	9	10	11	12	13		
0,5	- 8	20	A00555K	WH	A00552K	WH	A00557K	OG	1000	14,5	8	1,1	2,6	3,5
0,75	- 8	20	A00755K	GY	A00752K	BU	A00757K	WH	1000	14,5	8	1,3	2,8	3,6
1	- 8	18	A01055K	RD	A01052K	RD	A01057K	YE	1000	14,5	8	1,5	3,0	3,9
1,5	- 8	16	A01555K	BK	A01552K	BK	A01557K	RD	1000	14,5	8	1,8	3,4	4,2
2,5	- 8	14	A02555K	BU	A02552K	GY	A02557K	BU	500	14,5	8	2,3	4,2	5,0



MATERIAL: COPPER/PLASTIC
SURFACE: TIN PLATED

COILS  D = 250 mm														
SIZE mm ²	- LENGTH		PRT-No.	COLOUR DIN	COLOUR T (FR)		COLOUR W (GDR)		Pcs.	DIMENSIONS mm				
	- mm	AWG			PRT-No.		PRT-No.			1	l2	d1	d2	R
0,5	- 8	20	A00555B	WH	A00552B	WH	A00557B	OG	3000	14,5	8	1,1	2,6	3,5
0,75	- 8	20	A00755B	GY	A00752B	BU	A00757B	WH	3000	14,5	8	1,3	2,8	3,6
1	- 8	18	A01055B	RD	A01052B	RD	A01057B	YE	3000	14,5	8	1,5	3,0	3,9
1,5	- 8	16	A01555B	BK	A01552B	BK	A01557B	RD	2500	14,5	8	1,8	3,4	4,2
2,5	- 8	14	A02555B	BU	A02552B	GY	A02557B	BU	1500	14,5	8	2,3	4,2	5,0

ASSORTMENT BOXES (DxH 92 x 40 mm)						
		CONTENTS		PRT-No. COLOUR DIN	PRT-No. COLOUR T (FR)	PRT-No. COLOUR W (GDR)
	ASSORTMENT BOX 1	30 Pcs. 30 Pcs. 30 Pcs. 30 Pcs.	0,25 mm ² - 6 mm 0,34 mm ² - 6 mm 0,5 mm ² - 8 mm 0,75 mm ² - 8 mm 1 mm ² - 8 mm	S180035	S180032	S180037
	ASSORTMENT BOX 2	50 Pcs. 100 Pcs. 100 Pcs. 100 Pcs. 50 Pcs.	0,5 mm ² - 8 mm 0,75 mm ² - 8 mm 1 mm ² - 8 mm 1,5 mm ² - 8 mm 2,5 mm ² - 8 mm	S180015	S180012	S180017
	ASSORTMENT BOX 3	50 Pcs. 20 Pcs. 20 Pcs. 10 Pcs.	4 mm ² - 10 mm 6 mm ² - 12 mm 10 mm ² - 12 mm 16 mm ² - 12 mm	S180025	S180022	S180027
	ASSORTMENT BOX 4	50 Pcs. 50 Pcs. 50 Pcs. 50 Pcs.	2 x 0,5 mm ² - 8 mm 2 x 0,75 mm ² - 8 mm 2 x 1 mm ² - 8 mm 2 x 1,5 mm ² - 8 mm	S1845TWIN	S1842TWIN	S1847TWIN
	ASSORTMENT BOX 5	50 Pcs. 50 Pcs. 50 Pcs. 50 Pcs.	2 x 0,75 mm ² - 8 mm 2 x 1 mm ² - 8 mm 2 x 1,5 mm ² - 8 mm 2 x 2,5 mm ² - 10 mm	S1855TWIN	S1852TWIN	S1857TWIN
	ASSORTMENT BOX 6	30 Pcs. 30 Pcs. 20 Pcs. 10 Pcs.	2 x 1,5 mm ² - 8 mm 2 x 2,5 mm ² - 10 mm 2 x 4 mm ² - 12 mm 2 x 6 mm ² - 14 mm	S1865TWIN	S1862TWIN	S1867TWIN
	ASSORTMENT BOX 7	500 Pcs. 400 Pcs. 400 Pcs. 300 Pcs. 200 Pcs.	0,5 mm ² - 6 mm 0,75 mm ² - 6 mm 1 mm ² - 6 mm 1,5 mm ² - 7 mm 2,5 mm ² - 7 mm	S18001B		
	ASSORTMENT BOX 8	150 Pcs. 100 Pcs. 80 Pcs. 40 Pcs.	4 mm ² - 9 mm 6 mm ² - 10 mm 10 mm ² - 12 mm 16 mm ² - 12 mm	S18002B		
	ASSORTMENT BOX EMPTY		5 DIVISIONS	S18001L		
	ASSORTMENT BOX EMPTY		4 DIVISIONS	S18002L		
	ASSORTMENT BOX EMPTY		WITHOUT DIVISIONS	S18003L		

ASSORTMENT CASE (BxHxT 340 x 240 x 50 mm)					
	Contents	PRT-No. COLOUR DIN	P RT-No. COLOUR T (FR)	PRT-No. COLOUR W (GDR)	
ASSORTMENT CASE	200 Pcs. 0,25 mm ² - 6 mm 500 Pcs. 0,5 mm ² - 8 mm 500 Pcs. 0,75 mm ² - 8 mm 500 Pcs. 1 mm ² - 8 mm 500 Pcs. 1,5 mm ² - 8 mm 200 Pcs. 2,5 mm ² - 8 mm 200 Pcs. 4 mm ² - 10 mm 100 Pcs. 6 mm ² - 12 mm 200 Pcs. 2 x 0,75 mm ² - 8 mm 200Pcs. 2 x 1 mm ² - 8 mm 200 Pcs. 2 x 1,5 mm ² - 8 mm 100 Pcs. 2 x 2,5 mm ² - 10 mm	S01145	S01142	S01147	
ASSORTMENTCASE EMPTY		S0114L			

